

# WEST Search History for Application 10606547

Creation Date: 2010093011:27

## Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
WASON.inv.	PGPB, USPT	OR	YES		09-30-2010
((WASON.inv. ) and ((rich adj text) same (web adj application)))	PGPB, USPT	OR	YES		09-30-2010
((WASON.inv. ) and ((rich adj text) same representation))	PGPB, USPT	OR	YES		09-30-2010
((rich adj text) and node\$1 and (memory adj structure) and representation and class\$).inv.	PGPB, USPT	OR	YES		09-30-2010
((rich adj text) and (memory adj structure) and class\$ and (table near2 node\$1)).clm.	PGPB, USPT	OR	YES		09-30-2010
((table adj structure) and (table adj node) and (table adj body adj node) and (table adj header adj node) and (markup or html) adj tag\$1).clm.	PGPB, USPT	OR	YES		09-30-2010
((table adj row adj node\$1) and (row adj cell adj node\$1) and (rich adj text adj node\$1) and (nested adj table\$1) and (transform\$ near2 text)).clm.	PGPB, USPT	OR	YES		09-30-2010
((transform\$ or convert\$ or convers\$3) near3 text) and string\$ and (relational adj database) and HTML and XML).clm.	PGPB, USPT	OR	YES		09-30-2010
((rich adj text) and string\$ and (relational adj database) and (compress\$ near2 format\$) and (text adj value\$) and (text near node\$1) and attribute\$1).clm.	PGPB, USPT	OR	YES		09-30-2010
((pars\$ or analyz\$) near5 (text adj node)) and (text adj attribute\$1) and (HTML or markup) and (text adj node\$1) and (table adj structure)).clm.	PGPB, USPT	OR	YES		09-30-2010
((pars\$ or analyz\$) near2 (HTML or markup)) and (extract\$ near2 tag\$1) and (text adj attribute\$1) and resolveTag).clm.	PGPB, USPT	OR	YES		09-30-2010
(resolveTag and (null adj string) and (clon\$ near3 text) and node\$1 and tag\$1 and (remov\$ near2 text) and (miss\$ near3 tag\$1)).clm.	PGPB, USPT	OR	YES		09-30-2010
		OR	YES		09-30-2010

<b>(resolveTag and (end adj tag) and (clon\$ near3 node) and ((preceding or following) adj node) and (tag adj information) and (tag adj attribute\$1)).clm.</b>	PGPB, USPT				
<b>(715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS]</b>	PGPB, USPT	OR	YES		09-30-2010
<b>((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] ) and ((rich adj text) same (web adj application))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] ) and ((rich adj text) same node\$1 same (memory adj structure) same class\$)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] ) and (resolveTag same tag\$ same (null adj string\$) same (clon\$ near3 text))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] ) and (((transform\$ or convert\$ or convers\$3) near3 text) same string\$ same (relational adj database) same HTML same XML)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(resolveTag same tag\$ same (null adj string\$))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(string adj representation\$1) same ((transform\$ or convert\$ or convers\$3) near3 text) same (markup or XML or HTML)</b>	PGPB, USPT, USOC, EPAB,	OR	YES		09-30-2010

	JPAB, DWPI, TDBD				
( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS]	PGPB, USPT	OR	YES		09-30-2010
(( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] ) and ((rich adj text) same node\$1 same (memory adj structure))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] ) and (((pars\$ or analyz\$) near5 (text adj node)) same (text adj attribute\$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(character adj large adj object) or CLOB	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB) with (html adj representation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB) same (html adj representation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB ) and representation	PGPB, USPT, USOC, EPAB, JPAB,	OR	YES		09-30-2010

	DWPI, TDBD				
<b>((character adj large adj object) or CLOB and representation ) and (rich adj text)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((character adj large adj object) or CLOB and representation ) and (memory adj format\$)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((character adj large adj object) or CLOB and representation ) and (rich adj text adj edit\$)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(rich adj text adj edit\$)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text adj edit\$) ) and ((character adj large adj object) or CLOB )</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text adj edit\$) ) and node\$</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((character adj large adj object) or CLOB ) and (class\$ with application\$1 with representation)</b>	PGPB, USPT,	OR	YES		09-30-2010

	USOC, EPAB, JPAB, DWPI, TDBD				
<b>(rich adj text) same (Web or html or markup)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text) same (Web or html or markup) ) and (web adj browser\$) same (edit\$ near3 text)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(javascript near10 ((text adj edit\$ adj window) or (new adj browser)))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(javascript\$ with ((text adj edit\$ adj window) or (new adj browser)))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((character adj large adj object) or CLOB and representation ) and ((Rich adj Text adj Format) or RTF)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((character adj large adj object) or CLOB and representation ) and (controller adj class\$)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR	YES		09-30-2010

	TDBD				
((character adj large adj object) or CLOB ) and (class\$ with (control\$ near5 presenation))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(class\$ with (control\$ near5 presenation))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(class\$ same (control\$ near5 presenation))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(table adj structure) and ((Rich adj Text adj Format) or RTF)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(table adj structure) same ((Rich adj Text adj Format) or RTF)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((table adj structure) same ((Rich adj Text adj Format) or RTF) ) and class\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
Java adj class\$	PGPB, USPT, USOC,	OR	YES		09-30-2010

	EPAB, JPAB, DWPI, TDBD				
<b>((Java adj class\$ ) and ((table adj structure) and ((Rich adj Text adj Format) or RTF) )</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((character adj large adj object) or CLOB ) and (Java adj class\$ )</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>20020194357 or 20030120665 or 20030182308</b>	PGPB, USPT	OR	YES		09-30-2010
<b>6, 631, 519 (6, 618, 732 or 6, 604, 100 or 6, 418, 448).pn.</b>	USPT	OR	YES		09-30-2010
<b>(6, 631, 519 or 6, 618, 732 or 6, 604, 100 or 6, 418, 448).pn.</b>	USPT	OR	YES		09-30-2010
<b>(Java adj class\$ ) and ((Rich adj Text adj Format) or RTF)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(Java adj class\$ and ((Rich adj Text adj Format) or RTF) ) and edit\$</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(Java adj class\$ ) and (table adj node)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010

<b>(class\$ near8 application\$1) with (structure\$ near2 preseentation)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>Java adj string adj class\$</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(Java adj string adj class\$ ) and edit\$</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(Java adj string adj class\$ ) and ((character adj large adj object) or CLOB and representation )</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text adj edit\$) ) and (table adj structure)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((Rich adj Text adj Format) or RTF) and (web or html or www)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((Rich adj Text adj Format) or RTF) same (web or html or www)</b>	PGPB, USPT, USOC, EPAB,	OR	YES		09-30-2010



	JPAB, DWPI, TDBD				
<b>((Rich adj Text adj Format) or RTF) same (web or html or www) ) and (Java adj class\$ )</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(6154756 or 5467448).pn.</b>	USPT	OR	YES		09-30-2010
<b>'4709348'.pn.</b>	USPT	OR	YES		09-30-2010
<b>((table adj structure) and ((Rich adj Text adj Format) or RTF) ) and class\$</b>	USPT	OR	YES		09-30-2010
<b>(( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] ) and ((character adj large adj object) or CLOB )</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] and (character adj large adj object) or CLOB ) and (((transform\$ or convert\$ or convers\$3) near3 text) same string\$ same (relational adj database))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] and (character adj large adj object) or CLOB ) and ((rich adj text) same (web adj application))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] ) or (( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] )</b>	PGPB, USPT	OR	YES		09-30-2010
<b>((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760</b>	PGPB, USPT	OR	YES		09-30-2010

715/762)! [CCLS] or ( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] ) and (resolveTag same (end adj tag) same (clon\$ near3 node))					
((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] or ( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] ) and (((pars\$ or analyz\$) near5 (text adj node)) same (text adj attribute\$1))	PGPB, USPT	OR	YES		09-30-2010
((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] or ( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] ) and (resolveTag same (null adj string) same clon\$ same (text adj node))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((715/200  715/202  715/204  715/205  715/207  715/226  715/227  715/229  715/234  715/239  715/249  715/255  715/256  715/257  715/273  715/700  715/760  715/762)! [CCLS] or ( 707/602  707/695  707/802  707/803  707/912  707/999.001  707/999.003  707/999.004  707/999.101  707/E17.125)! [CCLS] ) and (((end or first) adj tag) same (null adj string) same ((preceding or following) adj node) same (remov\$ near2 text))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
715/\$.CCLS or 707/\$.CCLS.	PGPB, USPT	OR	YES		09-30-2010
(715/\$.CCLS or 707/\$.CCLS. ) ((rich adj text) same (web\$ near2 application\$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1)) ) and ((rich adj text) same (memory adj structure) same (text or table\$1 or (link\$1 or hyperlink\$1 or url)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010

<b>(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1)) ) and (((pars\$ or analyz\$) near4 text) same (text adj node\$1) same attribute\$1 same (memory adj structure))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1)) ) and (resolv\$ same (text adj attribute\$1) same node\$1 same (extract\$ near3 information))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1)) ) and (resolv\$ same (text adj attribute\$1) same node\$1 same (extract\$ near3 information))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1)) ) and (resolv\$ same(\$null adj string) same (clon\$ or spawn\$) same (rich adj text))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1)) ) and (resolv\$ same tag\$1 same (\$null adj string) same (clon\$ or spawn\$) same node\$1)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text) same (web\$ near2 application\$1))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>(((rich adj text) same (web\$ near2 application\$1)) ) and ((rich adj text) same (memory adj structure))</b>	PGPB, USPT, USOC, EPAB,	OR	YES		09-30-2010

	JPAB, DWPI, TDBD				
<b>((rich adj text) same (web\$ near2 application\$1)) ) and (resolv\$ same (text adj attribute\$1) same node\$1)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text) same (web\$ near2 application\$1)) ) and ((string adj representation\$1) same ((transform\$ or convert\$ or convers\$3) near3 text))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text) same (web\$ near2 application\$1)) ) and (rich adj text adj node\$1)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<b>((rich adj text) same (web\$ near2 application\$1)) ) and (resolv\$ same (text adj attribute\$1) same (clon\$ or spawn\$))</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010